

Control Handles Grease - Comfort Grip and Pro-series





TECHNICAL DATA	
Max pressure Handle	7,250 psi (500 bar)
Whip Hose	5,000 psi (345 bar)
Z-Swivel	5,000 psi (345 bar)
Swivel inlet:	1/4" NPT(F)
Compatible Fluids	NLGI-2 Grease
Wetted Materials	Steel and Aluminum
Service Bulletin	SB 3093

Ensure that all system components are rated for the max outlet pressure, especially pumps over 60:1 ratio



TECHNICAL DATA

	3310-010	3310-009
Max pressure	5,000 psi (345 bar)	5,000 psi (345 bar) building to 10,000 psi (690 bar)
Swivel inlet	1/4" NPT(F)	1/4" NPT(F)
Compatible Fluids	NLGI-2 Grease	NLGI-2 Grease
Wetted Materials	Steel	Steel
Service Bulletin	SB 3018	SB 3006

Ensure that all system components are rated for the max outlet pressure, especially pumps over 60:1 ratio

Features

- Precision-machined, all steel handle and forged body provides reliable service
- Precise, proportional trigger action
- Balanced and knurled grip for less fatigue
- Easily repaired for extended life
- For use with pneumatic grease pumps
- Includes rigid lance, coupler and z-swivel.
- Some models include whip hoses

MODELS Available	DESCRIPTION
3310-030	Comfort Grip Grease Handle
3310-031	Comfort Grip Grease Handle with 18" Whip Hose
3310-032	Comfort Grip Grease Handle with 36" Whip Hose

Pro Series

- Precision-machined, all steel handle and forged body provides reliable service
- Precise, proportional trigger action
- Balanced and knurled grip
- Inlet screen included
- For use with pneumatic grease pumps

MODELS Available	DESCRIPTION
3310-008	Pro Series Grease Handle
3310-010	Pro Series Grease Handle with Z-swivel
3310-025	Pro Series Grease Handle with 18" Whip Hose and Z-swivel
3310-020	Pro Series Grease Handle with 36" Whip Hose and Z-swivel

Pro Series Booster

The Pro Series Booster high pressure control handle is designed for use as a standard control handle and as a "Booster" when extreme pressures is required up to 10,000 psi

MODELS AVAILABLE	DESCRIPTION
3310-007	Pro Series Booster Grease Handle
3310-009	Pro Series Booster Grease Handle with Z-swivel